

## Exhaust Nozzles

High temperature resistant rubber and metal exhaust hoses



Nederman offer an extensive range of robust rubber and metal vehicle exhaust extraction nozzles to accommodate various types of vehicles and systems including European standard EURO 6 engines. Adjustable test funnels with special design to handle large volumes of hot exhaust from vehicles in inspection centres for example. Also available with floor stand and for vertical exhaust pipes. The adjustable floor stand accommodates most exhaust pipe positions and designs.

- Easy manual connection and disconnection of the exhaust nozzles
- Well proven nozzles with a soft capturing hood that protects employees and vehicles
- The nozzles are resistant to high exhaust temperature – up to 150°C (300°F) for rubber nozzles and up to 400°C (750°F) for metal nozzles, in normal use.

Product name	Exhaust Nozzles
Installation	Indoor



# Exhaust Nozzles

Image	Description	Max exhaust pipe, diameter. Dual (mm)	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Note	Model
	Rubber nozzle with lid and metal hose		Heavy vehicles	150	100		20803161
	Rubber nozzle with lid and metal hose		Heavy vehicles	150	125		20803261
	Rubber nozzle with lid and metal hose		Heavy vehicles	150	150		20803361
	Rubber nozzle, triangular, Spring-loaded lid, wire guard and opening for CO probe	100 x 75	Car	75	75		20803461
	Rubber nozzle, triangular, Spring-loaded lid, wire guard and opening for CO probe	100 x 75	Car	75	100		20803561
	Rubber nozzle, triangular, Spring-loaded lid, wire guard and opening for CO probe	100 x 75	Car	75	125		20803661
	Rubber nozzle, triangular with lid	100 x 75	Car	75	75		20804061
	Rubber nozzle, triangular without lid	100 x 75	Car	75	100		20804161
	Rubber nozzle, triangular with lid	100 x 75	Car	75	125		20804261
	Exhaust Nozzle Rubber Ø100 (4") Manual Triangular. With metal hose.	100 x 75	Car	75	100		20322139
	Exhaust Nozzle Rubber Manual With metal hose	n.a.	Heavy vehicles	150	150		20322140
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	150 x 75	Car	75	75		20805461
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	150 x 75	Car	75	100		20805561
	Rubber nozzle, round, with wireguard	n.a.	Heavy vehicles	150	150		20805961
	Rubber nozzle, oval for variable pipe thickness	150 x 75	Car	75	100		20808361









# Exhaust Nozzles

Image	Description	Max exhaust pipe, diameter. Dual (mm)	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Note	Model
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	200 x 100	Heavy vehicles	100	125		20805661
	Rubber nozzle, oval, opening for CO probe. Hose connection angled 60 deg.	200 x 100	Heavy vehicles	100	150		20805761
	Rubber nozzle, round, with wireguard CO probe. Hose connection angled 60 deg.	n.a.	Heavy vehicles	150	125		20805861
	Rubber nozzle, oval, automatic wire release	150 x 75	Car	75	100		20806161
	Rubber nozzle, round, automatic wire release	n.a.	Heavy vehicles	150	125		20806461
	Rubber nozzle, round, automatic wire release	n.a.	Heavy vehicles	150	150		20806561
	Rubber nozzle, round, swivel and lengthwise compressible	240 x 230	Heavy vehicles	180	150		20806961
	Rubber nozzle, round, swivel and lengthwise compressible	240 x 230	Heavy vehicles	230	200		20807061
	Rubber nozzle, oval, Spring-loaded lid, wire guard and opening for CO probe. Without locking clamp	150 x 110	Car	110	100		20802561
	Rubber nozzle, with safety disconnection, automatic release	n.a.	Heavy vehicles	150	150		20807861
	Aluminium nozzle with wire guard	n.a.	Heavy vehicles	125	150		20804761
	Aluminium nozzle with wire guard	n.a.	Heavy vehicles	170	200		20804961
	Rubber nozzle . Slips on to the exhaust pipe without locking device		Car	100	75/100		20815261
	Rubber nozzle . Slips on to the exhaust pipe without locking device		Car		100		20817261
	Beak nozzle		Car	100	100		20866461

# Exhaust Nozzles

Image	Description	Max exhaust pipe, diameter. Dual (mm)	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Note	Model
	Beak nozzle		Car	75	75		20866561
	Beak nozzle	150 x 80	Heavy vehicles	125	150		20866661
	Beak nozzle	150 x 80	Heavy vehicles	125	125		20866761
	Beak nozzle	150 x 80	Car	125	100		20866861
	Beak nozzle	150 x 80	Car	125	75		20866961
	Nozzle for built-in and covered exhaust pipes. Internal grip.	240 x (35 - 70)	Car	70	100		20867261
	Nozzle for built-in and covered exhaust pipes. Internal grip. Includes quick coupling	240 x (35 - 70)	Car	70	100		20867661
	Nozzle for built-in and covered exhaust pipes. Internal grip and extension hood (270mm).	270 x (35 - 70)	Car	70	100		20867861
	For Cars with twin pipes.	250 x 80	Car		100		20867761
	Rubber funnel on floor stand. Height 0 - 600 mm, rotatable		Car		100		20868361
	Funnel on floor stand with wheels. Height 0 - 600 mm, rotatable		Car		150		20816861
	Nozzle on floor stand. Height 130 - 440 mm		Heavy vehicles		200		20807261
	Large aluminum generic funnel. Suitable for EURO 6 trucks. With high temperature resistant kevlar based hose.		Heavy vehicles		150		20817061
	Aluminum funnel incl. With high temperature resistant kevlar based hose.		Heavy vehicles		150		20817161
	Flexible stand for funnels 20817061, 20817161 and nozzle 20817261.				75		20816961

## Exhaust Nozzles

Image	Description	Max exhaust pipe, diameter. Dual (mm)	Vehicle type	Max exhaust pipe, single (mm)	Hose connection Diameter (mm)	Note	Model
	Galvanised steel nozzle for stack pipes, length 2600 mm	n.a.	Heavy vehicles	250	140		20801961
	Rubber nozzle for vertical stack	n.a.	Heavy vehicles	250	125/150/200		20808861
	Galvanized nozzle for vertical stacks	n.a.	Heavy vehicles	250	150		20816661
	Galvanized nozzle for vertical stacks	n.a.	Heavy vehicles	250	200		20816761
	Nozzle for exhaust Pipe internal size 140 x 58mm		Car		100	For Mercedes C, Mercedes CLA, Mercedes E GLE and Ford Mondeo 2015.	20869761*
	Nozzle for exhaust Pipe internal size 175 x 60mm		Car		100	For Audi A6 2015 and Citroën DS	20869861**
	Nozzle for exhaust Pipe internal size 126 x 80mm		Car		100	For Volvo XC60, V60 and S60 (Before 2015), Mercedes R, GLK and GLA 2015, Mercedes E (Before 2013) and Porsche Cayenne.	20869961***
	Nozzle for exhaust Pipe internal size 175 x 85mm		Car		100	For Volvo S60, S90, S60 cross country (From 2015), V40, V60, V90, V60 cross country (from 2015), XC60 and XC90.	20870061****

\*For Mercedes C, Mercedes CLA, Mercedes E GLE and Ford Mondeo 2015.

\*\*For Audi A6 2015 and Citroën DS

\*\*\*For Volvo XC60, V60 and S60 (Before 2015), Mercedes R, GLK and GLA 2015, Mercedes E (Before 2013) and Porsche Cayenne.

\*\*\*\*For Volvo S60, S90, S60 cross country (From 2015), V40, V60, V90, V60 cross country (from 2015), XC60 and XC90.

# Exhaust Nozzles

Accessory		Part No
	Quick safety coupler incl. rubber sleeves and hose clips, Ø100	20374541*
	Quick safety coupler incl. rubber sleeves and hose clips, Ø150	20374543*
	Quick coupler, male, Ø100 incl. rubber sleeves and hose clip	20375049*
	Quick coupler, male, Ø150 incl. rubber sleeves and hose clip	20376017
	Connection kit 4" for quick coupler	20375048
	Adaptor for 3" hose	20373128
	Adapter for double exhaust pipes, L=1,0 m, ø 100 mm	20815061
	Telescopic lifting pole 3m for 20808861, 20816661, 20816761	20374287
	Quick coupler 100mm (2 pcs)	20374641

*\*Use the key ring on the one end of the coupling to more easily connect and reconnect the two hose ends or to disconnect the two hose ends.*