

Oil mist filter for single CNC machines



The NOM 4 is an oil mist filter in compact design and therefore suitable for enclosed cabinet single CNC machines. The unit is easy to install and enables maximum flexibility in the workshop, as it is normally installed on top of the machine. The NOM 4 is suitable for emulsions and pure oils.

- Low maintenance cost
- · Self draining mist filter
- Easy to install
- Superior filtration efficiency
- · Designed to fit into limited space

Product name	NOM 4
Noise level (dB(A))	66,1
Protection class	IP 55
Filter efficiency (%)	97,5
Compressed air requirement	No
Compressed air consumption	No
Installation	[Indoor]
Material	Housing made in powder coated sheet metal.
Suitable for combustible dust	False
Material recycling (%)	69
Filter Area (m2)	3
Capacity (max airflow m3/h)	400
Operating Temperature	5 - 60 deg
Frequency (Hz)	50
Filter type	[cartridge]
Number of filter elements	1
Filter material	Glassfibre
Weight (kg)	29
Power (kW)	0,37
Note	Inludes HEPA filter with 8,5 sqm filterarea and with 99,97% efficiency.





Description	Power Voltage (V)	No of phases	Amperage (A)	Model
NOM 4	230	1	3,15	12610368
NOM 4, HEPA	230	1	3,15	12610468*
NOM 7	400/230	3	1,0/1,75	12610568
NOM 4, HEPA	400/230	3	1,0/1,75	12610668*

^{*}Inludes HEPA filter with 8,5 sqm filterarea and with 99,97% efficiency.



	Accessory	Part No
	Mainfilter (replacement) NOM 4 3m2	12373653
	HEPA 5,5m2 NOM 4 (replacement)	12373645
	Wall bracket.	10504035
	FMS 1-1.6 F	14502137
	FMS 2.5 - 4,0	14502337
	Drip tray NOM 4	12373657
	Machine stand NOM 4 including damper	12373705
(500) (500) (500) (500)	Pressure garge kit NOM 4	12373656



